

## University of Groningen

### Moving onwards

Slofstra, Christine

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2017

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Slofstra, C. (2017). *Moving onwards: Affective change, mental imagery, and depressive relapse*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

#### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

#### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# REFERENCES



- Altman, D. G., & Bland, J. M. (1995). Absence of evidence is not evidence of absence. *BMJ*, *311*, 485. doi:10.1136/bmj.311.7003.485
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev. ed.). Washington, DC: Author.
- American Psychiatric Association. (2010). *Practice guideline for the treatment of patients with major depressive disorder*. (3rd ed.). Arlington, VA: American Psychiatric Publishing.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders*. (5th ed.). Arlington, VA: American Psychiatric Publishing.
- Andrade, J., Kavanagh, D., & Baddeley, A. (1997). Eye-movements and visual imagery: A working memory approach to the treatment of post-traumatic stress disorder. *British Journal of Clinical Psychology*, *36*, 209–223. doi:10.1111/j.2044-8260.1997.tb01408.x
- Arntz, A. (2011). Imagery rescripting for personality disorders. *Cognitive and Behavioral Practice*, *18*, 466–481. doi:10.1016/j.cbpra.2011.04.006
- Arntz, A. (2012). Imagery rescripting as a therapeutic technique: Review of clinical trials, basic studies, and research agenda. *Journal of Experimental Psychopathology*, *3*, 189–208. doi:10.5127/jep.024211
- Arntz, A., Tiesema, M., & Kindt, M. (2007). Treatment of PTSD: A comparison of imaginal exposure with and without imagery rescripting. *Journal of Behavior Therapy and Experimental Psychiatry*, *38*, 345–370. doi:10.1016/j.jbtep.2007.10.006
- Baddeley, A. D. (1997). *Human memory: Theory and practice*. Needham Heights, MA: Allyn & Bacon.
- Bakker, J. M., Lieveise, R., Geschwind, N., Peeters, F., Myin-Germeys, I., & Wichers, M. (2016). The two-sided face of antidepressants: The impact of their use on real-life affective change during mindfulness-based cognitive therapy. *Psychotherapy and Psychosomatics*, *85*, 180–182. doi:10.1159/000443333
- Batalas, N., & Markopoulos, P. (2012). Introducing tempest, a modular platform for in situ data collection. *Proceedings of the 7th Nordic Conference on Human-Computer Interaction: Making Sense through Design*, 781–782. doi:10.1145/2399016.2399144

- Beckers, T., & Kindt, M. (2017). Memory reconsolidation interference as an emerging treatment for emotional disorders: Strengths, limitations, challenges, and opportunities. *Annual Review of Clinical Psychology*, 13, 99–121. doi:10.1146/annurev-clinpsy-032816-045209
- Bennik, E. C., Nederhof, E., Ormel, J., & Oldehinkel, A. J. (2014). Anhedonia and depressed mood in adolescence: Course, stability, and reciprocal relation in the TRAILS study. *European Child & Adolescent Psychiatry*, 23, 579–586. doi:10.1007/s00787-013-0481-z
- Benvenuti, A., Rucci, P., Calugi, S., Cassano, G. B., Miniati, M., & Frank, E. (2010). Relationship of residual mood and panic-agoraphobic spectrum phenomenology to quality of life and functional impairment in patients with major depression. *International Clinical Psychopharmacology*, 25, 68–74. doi:10.1097/YIC.0b013e328333ee8e
- Beshai, S., Dobson, K. S., Bockting, C. L. H., & Quigley, L. (2011). Relapse and recurrence prevention in depression: Current research and future prospects. *Clinical Psychology Review*, 31, 1349–1360. doi:10.1016/j.cpr.2011.09.003
- Biesheuvel-Leliefeld, K. E., Kok, G. D., Bockting, C. L. H., Cuijpers, P., Hollon, S. D., van Marwijk, H. W., & Smit, F. (2015). Effectiveness of psychological interventions in preventing recurrence of depressive disorder: Meta-analysis and meta-regression. *Journal of Affective Disorders*, 174, 400–410. doi:10.1016/j.jad.2014.12.016
- Bisson, J. I., Ehlers, A., Matthews, R., Pilling, S., Richards, D., & Turner, S. (2007). Psychological treatments for chronic post-traumatic stress disorder. *The British Journal of Psychiatry*, 190, 97–104. doi:10.1192/bjp.bp.106.021402
- Blackwell, S. E., Browning, M., Mathews, A., Pictet, A., Welch, J., Davies, J., . . . Holmes, E. A. (2015). Positive imagery-based cognitive bias modification as a web-based treatment tool for depressed adults a randomized controlled trial. *Clinical Psychological Science*, 3, 91–111. doi:10.1177/2167702614560746
- Blackwell, S. E., & Holmes, E. A. (2017). Brightening the day with flashes of positive mental imagery: A case study of an individual with depression. *Journal of Clinical Psychology*, 247, 155–162. doi:10.1016/j.psychres.2016.11.025

- Blackwell, S. E., Rius-Ottenheim, N., Schulte-van Maaren, Y. W. M., Carlier, I. V. E., Middelkoop, V. D., Zitman, F. G., . . . Giltay, E. J. (2013). Optimism and mental imagery: A possible cognitive marker to promote well-being? *Psychiatry Research*, 206, 56–61. doi:10.1016/j.psychres.2012.09.047
- Bockting, C. L. H. (2009). *Preventieve cognitieve training bij terugkerende depressie*. Houten: Bohn Stafleu van Loghum.
- Bockting, C. L. H., Elgersma, H. J., van Rijsbergen, G. D., de Jonge, P., Ormel, J., Buskens, E., . . . Hollon, S. D. (2011). Disrupting the rhythm of depression: Design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. *BMC Psychiatry*, 11, 1–9. doi:10.1186/1471-244x-11-8
- Bockting, C. L. H., Schene, A. H., Spinhoven, P., Koeter, M. W. J., Wouters, L. F., Huyser, J., & Kamphuis, J. H. (2005). Preventing relapse/recurrence in recurrent depression with cognitive therapy: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 73, 647–657. doi:10.1037/0022-006X.73.4.647
- Bockting, C. L. H., ten Doesschate, M. C., Spijker, J., Spinhoven, P., Koeter, M. W. J., Schene, A. H., & DELTA study group. (2008). Continuation and maintenance use of antidepressants in recurrent depression. *Psychotherapy and Psychosomatics*, 77, 17–26. doi:000110056
- Bockting, C. L. H., Hollon, S. D., Jarrett, R. B., Kuyken, W., & Dobson, K. (2015). A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. *Clinical Psychology Review*, 41, 16–26. doi:10.1016/j.cpr.2015.02.003
- Borkovec, T., Ray, W. J., & Stober, J. (1998). Worry: A cognitive phenomenon intimately linked to affective, physiological, and interpersonal behavioral processes. *Cognitive Therapy and Research*, 22, 561–576. doi:10.1023/A:1018790003416
- Bos, F. M., Schoevers, R. A., & aan het Rot, M. (2015). Experience sampling and ecological momentary assessment studies in psychopharmacology: A systematic review. *European Neuropsychopharmacology*, 25, 1853–1864. doi:10.1016/j.euroneuro.2015.08.008
- Brewin, C. R. (2015). Reconsolidation versus retrieval competition: Rival hypotheses to explain memory change in psychotherapy. *Behavioral and Brain Sciences*, 38, 1–64. doi:10.1017/S0140525X14000144

- Brewin, C. R., Dalgleish, T., & Joseph, S. (1996). A dual representation theory of posttraumatic stress disorder. *Psychological Review*, 103, 670–686. doi:10.1037/0033-295X.103.4.670
- Brewin, C. R., Reynolds, M., & Tata, P. (1999). Autobiographical memory processes and the course of depression. *Journal of Abnormal Psychology*, 108, 511–517. doi:10.1037/0021-843X.108.3.511
- Brewin, C. R., Wheatley, J., Patel, T., Fearon, P., Hackmann, A., Wells, A., . . . Myers, S. (2009). Imagery rescripting as a brief stand-alone treatment for depressed patients with intrusive memories. *Behaviour Research and Therapy*, 47, 569–576. doi:10.1016/j.brat.2009.03.008
- Bringmann, L. F., Hamaker, E. L., Vigo, D. E., Aubert, A., Borsboom, D., & Tuerlinckx, F. (2016). Changing dynamics: Time-varying autoregressive models using generalized additive modeling. *Psychological Methods*, 1–17. doi:10.1037/met0000085
- Burcusa, S. L., & Iacono, W. G. (2007). Risk for recurrence in depression. *Clinical Psychology Review*, 27, 959–985. doi:10.1016/j.cpr.2007.02.005
- Button, K. S., Ioannidis, J. P., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S., & Munafò, M. R. (2013). Power failure: Why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience*, 14, 365–376. doi:10.1038/nrn3475
- Bylsma, L. M., Taylor-Clift, A., & Rottenberg, J. (2011). Emotional reactivity to daily events in major and minor depression. *Journal of Abnormal Psychology*, 120, 155–167. doi:10.1037/a0021662
- Bylsma, L. M., Morris, B. H., & Rottenberg, J. (2008). A meta-analysis of emotional reactivity in major depressive disorder. *Clinical Psychology Review*, 28, 676–691. doi:10.1016/j.cpr.2007.10.001
- Bywaters, M., Andrade, J., & Turpin, G. (2004). Intrusive and non-intrusive memories in a non-clinical sample: The effects of mood and affect on imagery vividness. *Memory*, 12, 467–478. doi:10.1080/09658210444000089
- Cartwright, C., Gibson, K., Read, J., Cowan, O., & Dehar, T. (2016). Long-term antidepressant use: Patient perspectives of benefits and adverse effects. *Patient Preference and Adherence*, 10, 1401–1407. doi:10.2147/PPA.S110632
- Charles, S. T., Piazza, J. R., Mogle, J., Sliwinski, M. J., & Almeida, D. M. (2013). The wear and tear of daily stressors on mental health. *Psychological Science*, 24, 733–741. doi:10.1177/0956797612462222

- Chun, C. A. (2016). The expression of posttraumatic stress symptoms in daily life: A review of experience sampling methodology and daily diary studies. *Journal of Psychopathology and Behavioral Assessment*, 38, 406–420. doi:10.1007/s10862-016-9540-3
- Çili, S., Pettit, S., & Stopa, L. (2017). Impact of imagery rescripting on adverse self-defining memories and post-recall working selves in a non-clinical sample: A pilot study. *Cognitive Behaviour Therapy*, 46, 75–89. doi:10.1080/16506073.2016.1212396
- Çili, S., & Stopa, L. (2015). Intrusive mental imagery in psychological disorders: Is the self the key to understanding maintenance? *Frontiers in Psychiatry*, 6, 1–5. doi:10.3389/fpsyt.2015.00103
- Clarke, K., Mayo-Wilson, E., Kenny, J., & Pilling, S. (2015). Can non-pharmacological interventions prevent relapse in adults who have recovered from depression? A systematic review and meta-analysis of randomised controlled trials. *Clinical Psychology Review*, 39, 58–70. doi:10.1016/j.cpr.2015.04.002
- Conway, M. A., & Loveday, C. (2015). Remembering, imagining, false memories & personal meanings. *Consciousness and Cognition*, 33, 574–581. doi:10.1016/j.concog.2014.12.002
- Cooper, M. J. (2011). Working with imagery to modify core beliefs in people with eating disorders: A clinical protocol. *Cognitive and Behavioral Practice*, 18, 454–465. doi:10.1016/j.cbpra.2010.08.003
- Cramer, A. O., van Borkulo, C. D., Giltay, E. J., van der Maas, Han LJ, Kendler, K. S., Scheffer, M., & Borsboom, D. (2016). Major depression as a complex dynamical system. *PLoS ONE*, 11, 1–20. doi:10.1371/journal.pone.0167490
- Craske, M. G. (2012). Transdiagnostic treatment for depression and anxiety. *Depression and Anxiety*, 29, 749–753. doi:10.1002/da.21992
- Craske, M. G., Treanor, M., Conway, C. C., Zbozinek, T., & Vervliet, B. (2014). Maximizing exposure therapy: An inhibitory learning approach. *Behaviour Research and Therapy*, 58, 10–23. doi:10.1016/j.brat.2014.04.006
- Csikszentmihalyi, M., & Larson, R. (1987). Validity and reliability of the experience-sampling method. *The Journal of Nervous and Mental Disease*, 175, 526–536.



- Curran, P. J., & Bauer, D. J. (2011). The disaggregation of within-person and between-person effects in longitudinal models of change. *Annual Review of Psychology*, 62, 583–619. doi:10.1146/annurev.psych.093008.100356
- Dalgleish, T., & Werner-Seidler, A. (2014). Disruptions in autobiographical memory processing in depression and the emergence of memory therapeutics. *Trends in Cognitive Sciences*, 18, 596–604. doi:10.1016/j.tics.2014.06.010
- De Jonge, M., Dekker, J. J. M., Kikkert, M. J., Peen, J., van Rijsbergen, G. D., & Bockting, C. L. H. (2017). The role of affect in predicting depressive symptomatology in remitted recurrently depressed patients. *Journal of Affective Disorders*, 210, 66–71. doi:10.1016/j.jad.2016.12.015
- Delespaul, P. (1995). Assessing schizophrenia in daily life: The experience sampling method. *The Journal of Nervous & Mental Disease*, 184, 644–646. doi:10.1097/00005053-199610000-00012
- Demiralp, E., Thompson, R. J., Mata, J., Jaeggi, S. M., Buschkuhl, M., Barrett, L. F., . . . Jonides, J. (2012). Feeling blue or turquoise? Emotional differentiation in major depressive disorder. *Psychological Science*, 23, 1410–1416. doi:10.1177/0956797612444903
- Di Simplicio, M., McInerney, J. E., Goodwin, G. M., Attenburrow, M., & Holmes, E. A. (2012). Revealing the mind's eye: Bringing (mental) images into psychiatry. *The American Journal of Psychiatry*, 169, 1245–1246. doi:10.1176/appi.ajp.2012.12040499
- Di Simplicio, M., Renner, F., Blackwell, S. E., Mitchell, H., Stratford, H. J., Watson, P., . . . Holmes, E. A. (2016). An investigation of mental imagery in bipolar disorder: Exploring “the mind's eye.” *Bipolar Disorders*, 18, 669–683. doi:10.1111/bdi.12453
- Dibbets, P., & Arntz, A. (2015). Imagery rescripting: Is incorporation of the most aversive scenes necessary? *Memory*, 24, 1–13. doi:10.1080/09658211.2015.1043307
- Dobson, K. S., Hollon, S. D., Dimidjian, S., Schmaling, K. B., Kohlenberg, R. J., Gallop, R. J., . . . Jacobson, N. S. (2008). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression. *Journal of Consulting and Clinical Psychology*, 76, 468–477. doi:10.1037/0022-006X.76.3.468



- Dunn, B. D. (2012). Helping depressed clients reconnect to positive emotion experience: Current insights and future directions. *Clinical Psychology & Psychotherapy*, 19, 326–340. doi:10.1002/cpp.1799
- Eaton, W. W., Shao, H., Nestadt, G., Lee, B. H., Bienvenu, O. J., & Zandi, P. (2008). Population-based study of first onset and chronicity in major depressive disorder. *Archives of General Psychiatry*, 65, 513–520. doi:10.1001/archpsyc.65.5.513
- Eisma, M. C., Schut, H. A., Stroebe, M. S., Voerman, K., Bout, J., Stroebe, W., & Boelen, P. A. (2015). Psychopathology symptoms, rumination and autobiographical memory specificity: Do associations hold after bereavement? *Applied Cognitive Psychology*, 29, 478–484. doi:10.1002/acp.3120
- Eisma, M. C., Stroebe, M. S., Schut, H. A., Stroebe, W., Boelen, P. A., & van den Bout, J. (2013). Avoidance processes mediate the relationship between rumination and symptoms of complicated grief and depression following loss. *Journal of Abnormal Psychology*, 122, 961–970. doi:10.1037/a0034051
- Engelhard, I. M., van den Hout, M. A., Janssen, W. C., & van der Beek, J. (2010). Eye movements reduce vividness and emotionality of “flashforwards.” *Behaviour Research and Therapy*, 48, 442–447. doi:10.1016/j.brat.2010.01.003
- Eszlari, N., Kovacs, D., Petschner, P., Pap, D., Gonda, X., Elliott, R., . . . Juhasz, G. (2016). Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: A potential risk mechanism for depression. *Translational Psychiatry*, 6, 1–8. doi:10.1038/tp.2016.19
- Fava, G. A., Gatti, A., Belaise, C., Guidi, J., & Offidani, E. (2015). Withdrawal symptoms after selective serotonin reuptake inhibitor discontinuation: A systematic review. *Psychotherapy and Psychosomatics*, 84, 72–81. doi:10.1159/000370338
- Fava, G. A., Rafanelli, C., Grandi, S., Conti, S., & Belluardo, P. (1998). Prevention of recurrent depression with cognitive behavioral therapy: Preliminary findings. *Archives of General Psychiatry*, 55, 816–820. doi:10.1001/archpsyc.55.9.816
- Fehr, B., & Russell, J. A. (1984). Concept of emotion viewed from a prototype perspective. *Journal of Experimental Psychology: General*, 113, 464–486. doi:10.1037/0096-3445.113.3.464

- Ferrari, A. J., Charlson, F. J., Norman, R. E., Patten, S. B., Freedman, G., Murray, C. J., . . . Whiteford, H. A. (2013). Burden of depressive disorders by country, sex, age, and year: Findings from the global burden of disease study 2010. *PLoS Med*, 10, 1–12. doi:10.1371/journal.pmed.1001547
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. (1997). *User's guide for the structured clinical interview for DSM-IV axis I disorders SCID-I: Clinician version*. Arlington, VA: American Psychiatric Publishing.
- Foa, E. B., & Kozak, M. J. (1986). Emotional processing of fear: Exposure to corrective information. *Psychological Bulletin*, 99, 20–35. doi:10.1037/0033-2909.99.1.20
- Forsyth, J. P., & Zvolensky, M. J. (2001). Experimental psychopathology, clinical science, and practice: An irrelevant or indispensable alliance? *Applied and Preventive Psychology*, 10, 243–264. doi:10.1016/S0962-1849(01)80002-0
- Fried, E. I., Epskamp, S., Nesse, R. M., Tuerlinckx, F., & Borsboom, D. (2016). What are ‘good’ depression symptoms? Comparing the centrality of DSM and non-DSM symptoms of depression in a network analysis. *Journal of Affective Disorders*, 189, 314–320. doi:10.1016/j.jad.2015.09.005
- Fried, E. I., & Nesse, R. M. (2015). Depression is not a consistent syndrome: An investigation of unique symptom patterns in the STAR\* D study. *Journal of Affective Disorders*, 172, 96–102. doi:10.1016/j.jad.2014.10.010
- Fried, E. I., van Borkulo, C. D., Cramer, A. O. J., Boschloo, L., Schoevers, R. A., & Borsboom, D. (2017). Mental disorders as networks of problems: A review of recent insights. *Social Psychiatry and Psychiatric Epidemiology*, 52, 1–10. doi:10.1007/s00127-016-1319-z
- Frijda, N. H. (1994). Varieties of affect: Emotions and episodes, moods, and sentiments. In P. Ekman, & R. J. Davidson (Eds.), *The nature of emotion: Fundamental questions* (pp. 197–202). New York, NY: Oxford University Press.
- Geschwind, N., Nicolson, N. A., Peeters, F., van Os, J., Barge-Schaapveld, D., & Wichers, M. (2011). Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. *European Neuropsychopharmacology*, 21, 241–247. doi:10.1016/j.euroneuro.2010.11.004

- Glue, P., Donovan, M. R., Kolluri, S., & Emir, B. (2010). Meta-analysis of relapse prevention antidepressant trials in depressive disorders. *Australian and New Zealand Journal of Psychiatry*, 44, 697–705. doi:10.3109/00048671003705441
- Golden, A., Dalgleish, T., & Mackintosh, B. (2007). Levels of specificity of autobiographical memories and of biographical memories of the deceased in bereaved individuals with and without complicated grief. *Journal of Abnormal Psychology*, 116, 786–795. doi:10.1037/0021-843X.116.4.786
- Görgen, S. M., Joormann, J., Hiller, W., & Witthöft, M. (2015). The role of mental imagery in depression: Negative mental imagery induces strong implicit and explicit affect in depression. *Frontiers in Psychiatry*, 6, 1–12. doi:10.3389/fpsy.2015.00094
- Greenberg, P. E., Fournier, A., Sisitsky, T., Pike, C. T., & Kessler, R. C. (2015). The economic burden of adults with major depressive disorder in the United States (2005 and 2010). *The Journal of Clinical Psychiatry*, 76, 155–162. doi:10.4088/JCP.14m09298
- Greeson, J., Garland, E. L., & Black, D. (2014). A transtherapeutic approach for transdiagnostic mental processes. In A. Le, C. T. Ngnoumen & E. J. Langer (Eds.), *The Wiley Blackwell handbook of mindfulness* (pp. 533–562). New York, NY: John Wiley & Sons.
- Grunert, B. K., Weis, J. M., Smucker, M. R., & Christianson, H. F. (2007). Imagery rescripting and reprocessing therapy after failed prolonged exposure for post-traumatic stress disorder following industrial injury. *Journal of Behavior Therapy and Experimental Psychiatry*, 38, 317–328. doi:10.1016/j.jbtep.2007.10.005
- Grunert, B. K., Smucker, M. R., Weis, J. M., & Rusch, M. D. (2003). When prolonged exposure fails: Adding an imagery-based cognitive restructuring component in the treatment of industrial accident victims suffering from PTSD. *Cognitive and Behavioral Practice*, 10, 333–346. doi:10.1016/S1077-7229(03)80051-2
- Gu, J., Strauss, C., Bond, R., & Cavanagh, K. (2015). How do mindfulness-based cognitive therapy and mindfulness-based stress reduction improve mental health and wellbeing? A systematic review and meta-analysis of mediation studies. *Clinical Psychology Review*, 37, 1–12. doi:10.1016/j.cpr.2015.01.006

- Guidi, J., Fava, G., Fava, M., & Papakostas, G. (2011). Efficacy of the sequential integration of psychotherapy and pharmacotherapy in major depressive disorder: A preliminary meta-analysis. *Psychological Medicine*, 41, 321–331. doi:10.1017/S0033291710000826
- Guidi, J., Tomba, E., & Fava, G. A. (2016). The sequential integration of pharmacotherapy and psychotherapy in the treatment of major depressive disorder: A meta-analysis of the sequential model and a critical review of the literature. *American Journal of Psychiatry*, 173, 128–137. doi:10.1176/appi.ajp.2015.15040476
- Gunter, R. W., & Bodner, G. E. (2008). How eye movements affect unpleasant memories: Support for a working-memory account. *Behaviour Research and Therapy*, 46, 913–931. doi:10.1016/j.brat.2008.04.006
- Hackmann, A., & Holmes, E. A. (2004). Reflecting on imagery: A clinical perspective and overview of the special issue of memory on mental imagery and memory in psychopathology. *Memory*, 12, 389–402. doi:10.1080/09658210444000133
- Hagenaars, M. A., & Arntz, A. (2012). Reduced intrusion development after post-trauma imagery rescripting; an experimental study. *Journal of Behavior Therapy and Experimental Psychiatry*, 43, 808–814. doi:10.1016/j.jbtep.2011.09.005
- Hamaker, E. L., & Wichers, M. (2017). No time like the present. *Current Directions in Psychological Science*, 26, 10–15. doi:10.1177/0963721416666518
- Hamaker, E. L. (2012). Why researchers should think “within-person”: A paradigmatic rationale. In Mehl M. R., & Conner T. S. (Eds.), *Handbook of research methods for studying daily life* (pp. 43–61). New York, NY: Guilford Publications.
- Hamilton, M. (1960). A rating scale for depression. *Journal of Neurology, Neurosurgery, and Psychiatry*, 23, 56–62.
- Hansen, R., Gaynes, B., Thieda, P., Gartlehner, G., veaugh-Geiss, A., Krebs, E., & Lohr, K. (2008). Prevention of major depressive disorder relapse and recurrence with second-generation antidepressants: A systematic review and meta-analysis. *Psychiatric Services*, 59, 1121–1130. doi:10.1176/appi.ps.59.10.1121

- Hardeveld, F., Spijker, J., De Graaf, R., Nolen, W. A., & Beekman, A. T. (2010). Prevalence and predictors of recurrence of major depressive disorder in the adult population. *Acta Psychiatrica Scandinavica*, 122, 184–191. doi:10.1111/j.1600-0447.2009.01519.x
- Hayes, A. M., Yasinski, C., Barnes, J. B., & Bockting, C. L. H. (2015). Network destabilization and transition in depression: New methods for studying the dynamics of therapeutic change. *Clinical Psychology Review*, 41, 27–39. doi:10.1016/j.cpr.2015.06.007
- Hekler, E. B., Michie, S., Pavel, M., Rivera, D. E., Collins, L. M., Jimison, H. B., . . . Spruijt-Metz, D. (2016). Advancing models and theories for digital behavior change interventions. *American Journal of Preventive Medicine*, 51, 825–832. doi:10.1016/j.amepre.2016.06.013
- Hirsch, C. R., & Holmes, E. A. (2007). Mental imagery in anxiety disorders. *Psychiatry*, 6, 161–165. doi:10.1016/j.mppsy.2007.01.005
- Hitchcock, C., Werner-Seidler, A., Blackwell, S. E., & Dalgleish, T. (2017). Autobiographical episodic memory-based training for the treatment of mood, anxiety and stress-related disorders: A systematic review and meta-analysis. *Clinical Psychology Review*, 52, 92–107. doi:10.1016/j.cpr.2016.12.003
- Höhn, P., Menne-Lothmann, C., Peeters, F., Nicolson, N. A., Jacobs, N., Derom, C., . . . Wichers, M. (2013). Moment-to-moment transfer of positive emotions in daily life predicts future course of depression in both general population and patient samples. *PLoS ONE*, 8, 1–11. doi:10.1371/journal.pone.0075655
- Hollon, S. D., Stewart, M. O., & Strunk, D. (2006). Enduring effects for cognitive behavior therapy in the treatment of depression and anxiety. *Annual Review of Psychology*, 57, 285–315. doi:10.1146/annurev.psych.57.102904.190044
- Holmes, E. A., Blackwell, S. E., Burnett Heyes, S., Renner, F., & Raes, F. (2016). Mental imagery in depression: Phenomenology, potential mechanisms, and treatment implications. *Annual Review of Clinical Psychology*, 12, 249–280. doi:10.1146/annurev-clinpsy-021815-092925
- Holmes, E. A., Mathews, A., Dalgleish, T., & Mackintosh, B. (2006). Positive interpretation training: Effects of mental imagery versus verbal training on positive mood. *Behavior Therapy*, 37, 237–247. doi:10.1016/j.beth.2006.02.002

- Holmes, E. A. (2003). Intrusive, emotional mental imagery and trauma: Experimental and clinical clues. *Imagination, Cognition and Personality*, 23, 147–154. doi:10.2190/HJG1-7UPH-B3K0-P9H5
- Holmes, E. A., Arntz, A., & Smucker, M. R. (2007). Imagery rescripting in cognitive behaviour therapy: Images, treatment techniques and outcomes. *Journal of Behavior Therapy and Experimental Psychiatry*, 38, 297–305. doi:10.1016/j.jbtep.2007.10.007
- Holmes, E. A., Geddes, J. R., Colom, F., & Goodwin, G. M. (2008). Mental imagery as an emotional amplifier: Application to bipolar disorder. *Behaviour Research and Therapy*, 46, 1251–1258. doi:10.1016/j.brat.2008.09.005
- Holmes, E. A., Lang, T. J., Moulds, M. L., & Steele, A. M. (2008). Prospective and positive mental imagery deficits in dysphoria. *Behaviour Research and Therapy*, 46, 976–981. doi:10.1016/j.brat.2008.04.009
- Holmes, E. A., Lang, T. J., & Shah, D. M. (2009). Developing interpretation bias modification as a ‘cognitive vaccine’ for depressed mood: Imagining positive events makes you feel better than thinking about them verbally. *Journal of Abnormal Psychology*, 118, 76–88. doi:10.1037/a0012590
- Holmes, E. A., & Mathews, A. (2005). Mental imagery and emotion: A special relationship? *Emotion*, 5, 489–497. doi:10.1037/1528-3542.5.4.489
- Holmes, E. A., & Mathews, A. (2010). Mental imagery in emotion and emotional disorders. *Clinical Psychology Review*, 30, 349–362. doi:10.1016/j.cpr.2010.01.001
- Holmes, E. A., Mathews, A., Mackintosh, B., & Dalgleish, T. (2008). The causal effect of mental imagery on emotion assessed using picture-word cues. *Emotion*, 8, 395–409. doi:10.1037/1528-3542.8.3.395
- Hosenfeld, B., Bos, E. H., Wardenaar, K. J., Conradi, H. J., van der Maas, H. L. J., Visser, I., & de Jonge, P. (2015). Major depressive disorder as a nonlinear dynamic system: Bimodality in the frequency distribution of depressive symptoms over time. *BMC Psychiatry*, 15, 1–9. doi:10.1186/s12888-015-0596-5

- Huijbers, M. J., Spinhoven, P., Spijker, J., Ruhé, H. G., van Schaik, D. J., van Oppen, P., . . . van der Wilt, Gert Jan. (2015). Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. *Journal of Affective Disorders*, 187, 54–61. doi:10.1016/j.jad.2015.08.023
- Huijbers, M. J., Spinhoven, P., Spijker, J., Ruhe, H. G., van Schaik, D. J., van Oppen, P., . . . Speckens, A. E. (2016). Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: Randomised controlled non-inferiority trial. *The British Journal of Psychiatry*, 208, 366–374. doi:10.1192/bjp.bp.115.168971
- Iacoviello, B. M., Alloy, L. B., Abramson, L. Y., & Choi, J. Y. (2010). The early course of depression: A longitudinal investigation of prodromal symptoms and their relation to the symptomatic course of depressive episodes. *Journal of Abnormal Psychology*, 119, 459–467. doi:10.1037/a0020114
- Ietsugu, T., Crane, C., Hackmann, A., Brennan, K., Gross, M., Crane, R. S., . . . Fennell, M. J. (2015). Gradually getting better: Trajectories of change in rumination and anxious worry in mindfulness-based cognitive therapy for prevention of relapse to recurrent depression. *Mindfulness*, 6, 1088–1094. doi:10.1007/s12671-014-0358-3
- Jarrett, R. B., Minhajuddin, A., Borman, P. D., Dunlap, L., Segal, Z. V., Kidner, C. L., . . . Thase, M. E. (2012). Cognitive reactivity, dysfunctional attitudes, and depressive relapse and recurrence in cognitive therapy responders. *Behaviour Research and Therapy*, 50, 280–286. doi:10.1016/j.brat.2012.01.008
- Ji, J. L., Heyes, S. B., MacLeod, C., & Holmes, E. A. (2015). Emotional mental imagery as simulation of reality: Fear and beyond. A tribute to Peter Lang. *Behavior Therapy*, 47, 702–719. doi:10.1016/j.beth.2015.11.004
- Ji, J. L., Holmes, E. A., & Blackwell, S. E. (2017). Seeing light at the end of the tunnel: Positive prospective mental imagery and optimism in depression. *Psychiatry Research*, 247, 155–162. doi:10.1016/j.psychres.2016.11.025
- Johnson, D. P., Whisman, M. A., Corley, R. P., Hewitt, J. K., & Friedman, N. P. (2014). Genetic and environmental influences on rumination and its covariation with depression. *Cognition and Emotion*, 28, 1270–1286. doi:10.1080/02699931.2014.881325



- Joormann, J., Siemer, M., & Gotlib, I. H. (2007). Mood regulation in depression: Differential effects of distraction and recall of happy memories on sad mood. *Journal of Abnormal Psychology, 116*, 484–490. doi:10.1037/0021-843x.116.3.484
- Joormann, J., & Stanton, C. H. (2016). Examining emotion regulation in depression: A review and future directions. *Behaviour Research and Therapy, 86*, 35–49. doi:10.1016/j.brat.2016.07.007
- Judd, L. L. (1997). The clinical course of unipolar major depressive disorders. *Archives of General Psychiatry, 54*, 989–991. doi:10.1001/archpsyc.1997.01830230015002
- Jung, K., & Steil, R. A. (2013). A randomized controlled trial on cognitive restructuring and imagery modification to reduce the feeling of being contaminated in adult survivors of childhood sexual abuse suffering from posttraumatic stress disorder. *Psychotherapy and Psychosomatics, 82*, 213–220. doi:10.1159/000348450
- Kandris, E., & Moulds, M. L. (2008). Can imaginal exposure reduce intrusive memories in depression? A case study. *Cognitive Behaviour Therapy, 37*, 216–220. doi:10.1080/16506070802117950
- Kass, R. E., & Raftery, A. E. (1995). Bayes factors. *Journal of the American Statistical Association, 90*, 773–795. doi:10.1080/01621459.1995.10476572
- Kazdin, A. E. (2007). Mediators and mechanisms of change in psychotherapy research. *Annual Review of Clinical Psychology, 3*, 1–27. doi:10.1146/annurev.clinpsy.3.022806.091432
- Kazdin, A. E. (2016). Evidence-based psychosocial treatment: Advances, surprises, and needed shifts in foci. *Cognitive and Behavioral Practice, 23*, 426–430. doi:10.1016/j.cbpra.2015.11.003
- Kelly, K., Posternak, M., & Alpert, J. E. (2008). Toward achieving optimal response: Understanding and managing antidepressant side effects. *Dialogues in Clinical Neuroscience, 10*, 409–418.
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the national comorbidity survey replication. *Archives of General Psychiatry, 62*, 593–602. doi:10.1001/archpsyc.62.6.593

- Kessler, H., Blackwell, S. E., & Kehyayan, A. (2017). Reconsolidation and trauma memory. In N. Axmacher, & B. Rasch (Eds.), *Cognitive neuroscience of memory consolidation* (pp. 369–379). Cham: Springer International Publishing. doi:10.1007/978-3-319-45066-7\_22
- Klasnja, P., Hekler, E. B., Shiffman, S., Boruvka, A., Almirall, D., Tewari, A., & Murphy, S. A. (2015). Microrandomized trials: An experimental design for developing just-in-time adaptive interventions. *Health Psychology, 34*, 1220–1228. doi:10.1037/hea0000305
- Korrelboom, K., Maarsingh, M., & Huijbrechts, I. (2012). Competitive memory training (COMET) for treating low self-esteem in patients with depressive disorders: A randomized clinical trial. *Depression and Anxiety, 29*, 102–110. doi:10.1002/da.20921
- Kosslyn, S. M., Ganis, G., & Thompson, W. L. (2001). Neural foundations of imagery. *Nature Reviews Neuroscience, 2*, 635–642. doi:10.1038/35090055
- Koval, P., & Kuppens, P. (2012). Changing emotion dynamics: Individual differences in the effect of anticipatory social stress on emotional inertia. *Emotion, 12*, 256–267. doi:10.1037/a0024756
- Kramer, I., Simons, C. J. P., Hartmann, J. A., Menne Lothmann, C., Viechtbauer, W., Peeters, F., . . . Delespaul, P. (2014). A therapeutic application of the experience sampling method in the treatment of depression: A randomized controlled trial. *World Psychiatry, 13*, 68–77. doi:10.1002/wps.20090
- Krans, J. (2011). Introduction to the special issue: Intrusive imagery in psychopathology: New research findings, implications for theory and treatment, and future directions. *International Journal of Cognitive Therapy, 4*, 117–121. doi:10.1521/ijct.2011.4.2.117
- Krone, T., Albers, C. J., Timmerman, M. E. (2016). Bayesian dynamic modelling to assess differential treatment effects on panic attack frequencies. *Statistical Modelling, 16*, 343–359. doi:10.1177/1471082X16650777
- Kupfer, D. J., Frank, E., & Phillips, M. L. (2012). Major depressive disorder: New clinical, neurobiological, and treatment perspectives. *The Lancet, 379*, 1045–1055. doi:10.1016/S0140-6736(11)60602-8
- Kuppens, P., Allen, N. B., & Sheeber, L. B. (2010). Emotional inertia and psychological maladjustment. *Psychological Science, 21*, 984–991. doi:10.1177/0956797610372634

- Kuyken, W., Hayes, R., Barrett, B., Byng, R., Dalgleish, T., Kessler, D., . . . Cardy, J. (2015). Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): A randomised controlled trial. *The Lancet*, 386, 63–73. doi:10.1016/s0140-6736(14)62222-4
- Kuyken, W., Warren, F. C., Taylor, R. S., Whalley, B., Crane, C., Bondolfi, G., . . . Schweizer, S. (2016). Efficacy of mindfulness-based cognitive therapy in prevention of depressive relapse: An individual patient data meta-analysis from randomized trials. *JAMA Psychiatry*, 73, 565–574. doi:10.1001/jamapsychiatry.2016.0076
- Lane, R. D., Ryan, L., Nadel, L., & Greenberg, L. (2015). Memory reconsolidation, emotional arousal, and the process of change in psychotherapy: New insights from brain science. *Behavioral and Brain Sciences*, 38, 1–64. doi:10.1017/S0140525X14000041
- Lee, C. W., & Cuijpers, P. (2013). A meta-analysis of the contribution of eye movements in processing emotional memories. *Journal of Behavior Therapy and Experimental Psychiatry*, 44, 231–239. doi:10.1016/j.jbtep.2012.11.001
- Leer, A., Engelhard, I. M., & van den Hout, M. A. (2014). How eye movements in EMDR work: Changes in memory vividness and emotionality. *Journal of Behavior Therapy and Experimental Psychiatry*, 45, 396–401. doi:10.1016/j.jbtep.2014.04.004
- Lethbridge, R., & Allen, N. B. (2008). Mood induced cognitive and emotional reactivity, life stress, and the prediction of depressive relapse. *Behaviour Research and Therapy*, 46, 1142–1150. doi:10.1016/j.brat.2008.06.011
- Long, M. E., Davis, J. L., Springer, J. R., Elhai, J. D., Rhudy, J. L., Teng, E. J., & Frueh, B. C. (2011). The role of cognitions in imagery rescripting for posttraumatic nightmares. *Journal of Clinical Psychology*, 67, 1008–1016. doi:10.1002/jclp.20804
- Long, M. E., Hammons, M. E., Davis, J. L., Frueh, B. C., Khan, M. M., Elhai, J. D., & Teng, E. J. (2011). Imagery rescripting and exposure group treatment of posttraumatic nightmares in veterans with PTSD. *Journal of Anxiety Disorders*, 25, 531–535. doi:10.1016/j.janxdis.2010.12.007

- Lorenzo-Luaces, L., German, R. E., & DeRubeis, R. J. (2015). It's complicated: The relation between cognitive change procedures, cognitive change, and symptom change in cognitive therapy for depression. *Clinical Psychology Review, 41*, 3–15. doi:10.1016/j.cpr.2014.12.003
- Mansell, W., Harvey, A., Watkins, E. R., & Shafran, R. (2008). Cognitive behavioral processes across psychological disorders: A review of the utility and validity of the transdiagnostic approach. *International Journal of Cognitive Therapy, 1*, 181–191. doi:10.1521/ijct.2008.1.3.181
- Mathews, A., & MacLeod, C. (2005). Cognitive vulnerability to emotional disorders. *Annual Review of Clinical Psychology, 1*, 167–195. doi:10.1146/annurev.clinpsy.1.102803.143916
- Matt, G. E., Vázquez, C., & Campbell, W. K. (1992). Mood-congruent recall of affectively toned stimuli: A meta-analytic review. *Clinical Psychology Review, 12*, 227–255. doi:10.1016/0272-7358(92)90116-P
- Moffitt, T. E., Caspi, A., Taylor, A., Kokaua, J., Milne, B., Polanczyk, G., & Poulton, R. (2010). How common are common mental disorders? Evidence that lifetime prevalence rates are doubled by prospective versus retrospective ascertainment. *Psychological Medicine, 40*, 899–909. doi:10.1017/S0033291709991036
- Monden, R., Stegeman, A., Conradi, H. J., de Jonge, P., & Wardenaar, K. J. (2016). Predicting long-term depression outcome using a three-mode principal component model for depression heterogeneity. *Journal of Affective Disorders, 189*, 1–9. doi:10.1016/j.jad.2015.09.018
- Morina, N., Deeproose, C., Pusowski, C., Schmid, M., & Holmes, E. A. (2011). Prospective mental imagery in patients with major depressive disorder or anxiety disorders. *Journal of Anxiety Disorders, 25*, 1032–1037. doi:10.1016/j.janxdis.2011.06.012
- Morina, N., Lancee, J., & Arntz, A. (2017). Imagery rescripting as a clinical intervention for aversive memories: A meta-analysis. *Journal of Behavior Therapy and Experimental Psychiatry, 55*, 6–15. doi:10.1016/j.jbtep.2016.11.003
- Moritz, S., Hörmann, C. C., Schröder, J., Berger, T., Jacob, G. A., Meyer, B., . . . Klein, J. P. (2014). Beyond words: Sensory properties of depressive thoughts. *Cognition and Emotion, 28*, 1047–1056. doi:10.1080/02699931.2013.868342

- Morris, B. H., Bylsma, L. M., & Rottenberg, J. (2009). Does emotion predict the course of major depressive disorder? A review of prospective studies. *British Journal of Clinical Psychology*, 48, 255–273. doi:10.1348/014466508x396549
- Morris, W. N. (1999). The mood system. In D. Kahneman, E. Diener & N. Schwarz (Eds.), *Wellbeing: The foundations of hedonic psychology* (pp. 169–189). New York, NY: Russell Sage Foundation.
- Moulds, M. L., Kandris, E., Starr, S., & Wong, A. C. (2007). The relationship between rumination, avoidance and depression in a non-clinical sample. *Behaviour Research and Therapy*, 45, 251–261. doi:10.1016/j.brat.2006.03.003
- Mueller, T. I., Leon, A. C., Keller, M. B., Solomon, D. A., Endicott, J., Coryell, W., . . . Maser, J. D. (1999). Recurrence after recovery from major depressive disorder during 15 years of observational follow-up. *American Journal of Psychiatry*, 156, 1000–1006. doi:10.1176/ajp.156.7.1000
- Mulder, J., Hoijtink, H., & de Leeuw, C. (2012). Biems: A Fortran90 program for calculating Bayes factors for inequality and equality constrained models. *Journal of Statistical Software*, 46, 1–39. doi:10.18637/jss.v046.i02
- Mulder, J., Hoijtink, H., & Klugkist, I. (2010). Equality and inequality constrained multivariate linear models: Objective model selection using constrained posterior priors. *Journal of Statistical Planning and Inference*, 140, 887–906. doi:10.1016/j.jspi.2009.09.022
- Myin-Germeys, I., Oorschot, M., Collip, D., Lataster, J., Delespaul, P., & van Os, J. (2009). Experience sampling research in psychopathology: Opening the black box of daily life. *Psychological Medicine*, 39, 1533–1547. doi:10.1017/s0033291708004947
- National Collaborating Centre for Mental Health. (2004). *Depression: Management of depression in primary and secondary care*. (Clinical Guideline No. 24). London: National Institute for Clinical Excellence.
- Nelis, S., Holmes, E. A., Palmieri, R., Bellelli, G., & Raes, F. (2015). Thinking back about a positive event: The impact of processing style on positive affect. *Frontiers in Psychiatry*, 6, 1–13. doi:10.3389/fpsy.2015.00003
- Nelis, S., Holmes, E. A., Griffith, J. W., & Raes, F. (2014). Mental imagery during daily life: Psychometric evaluation of the spontaneous use of imagery scale (SUIS). *Psychologica Belgica*, 54, 19–32. doi:10.5334/pb.ag

- Nelson, B., McGorry, P. D., Wichers, M., Wigman, J. T. W., & Hartmann, J. A. (2017). Moving from static to dynamic models of the onset of mental disorder: A review. *JAMA Psychiatry*, 74, 528–534. doi:10.1001/jamapsychiatry.2017.0001
- Newby, J. M., & Moulds, M. L. (2011a). Characteristics of intrusive memories in a community sample of depressed, recovered depressed and never-depressed individuals. *Behaviour Research and Therapy*, 49, 234–243. doi:10.1016/j.brat.2011.01.003
- Newby, J. M., & Moulds, M. L. (2011b). Do intrusive memory characteristics predict depression at 6 months? *Memory*, 19, 538–546. doi:10.1080/09658211.2011.590505
- Nilsson, J., Lundh, L., & Viborg, G. (2012). Imagery rescripting of early memories in social anxiety disorder: An experimental study. *Behaviour Research and Therapy*, 50, 387–392. doi:10.1016/j.brat.2012.03.004
- Nolen-Hoeksema, S., & Watkins, E. R. (2011). A heuristic for developing transdiagnostic models of psychopathology: Explaining multifinality and divergent trajectories. *Perspectives on Psychological Science*, 6, 589–609. doi:10.1177/1745691611419672
- Nolen-Hoeksema, S., Wisco, B. E., & Lyubomirsky, S. (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3, 400–424. doi:10.1111/j.1745-6924.2008.00088.x
- O'Hara, R. E., Armeli, S., Boynton, M. H., & Tennen, H. (2014). Emotional stress-reactivity and positive affect among college students: The role of depression history. *Emotion*, 14, 193–202. doi:10.1037/a0034217
- Ohanian, V. (2002). Imagery rescripting within cognitive behavior therapy for bulimia nervosa: An illustrative case report. *International Journal of Eating Disorders*, 31, 352–357. doi:10.1002/eat.10044
- Palmier-Claus, J. E., Myin-Germeys, I., Barkus, E., Bentley, L., Udachina, A., Delespaul, P., . . . Dunn, G. (2011). Experience sampling research in individuals with mental illness: Reflections and guidance. *Acta Psychiatrica Scandinavica*, 123, 12–20. doi:10.1111/j.1600-0447.2010.01596.x
- Pasyugina, I., Koval, P., De Leersnyder, J., Mesquita, B., & Kuppens, P. (2015). Distinguishing between level and impact of rumination as predictors of depressive symptoms: An experience sampling study. *Cognition and Emotion*, 29, 736–746. doi:10.1080/02699931.2014.932755

- Pearson, J., Naselaris, T., Holmes, E. A., & Kosslyn, S. M. (2015). Mental imagery: Functional mechanisms and clinical applications. *Trends in Cognitive Sciences*, 19, 590–602. doi:10.1016/j.tics.2015.08.003
- Peeters, F., Berkhof, J., Delespaul, P., Rottenberg, J., & Nicolson, N. A. (2006). Diurnal mood variation in major depressive disorder. *Emotion*, 6, 383–391. doi:10.1037/1528-3542.6.3.383
- Pictet, A., Coughtrey, A. E., Mathews, A., & Holmes, E. A. (2011). Fishing for happiness: The effects of generating positive imagery on mood and behaviour. *Behaviour Research and Therapy*, 49, 885–891. doi:10.1016/j.brat.2011.10.003
- Piet, J., & Hougaard, E. (2011). The effect of mindfulness-based cognitive therapy for prevention of relapse in recurrent major depressive disorder: A systematic review and meta-analysis. *Clinical Psychology Review*, 31, 1032–1040. doi:10.1016/j.cpr.2011.05.002
- Prins, M. A., Verhaak, P. F., Bensing, J. M., & van der Meer, K. (2008). Health beliefs and perceived need for mental health care of anxiety and depression—The patients' perspective explored. *Clinical Psychology Review*, 28, 1038–1058. doi:10.1016/j.cpr.2008.02.009
- Raabe, S., Ehring, T., Marquenie, L., Olff, M., & Kindt, M. (2015). Imagery rescripting as stand-alone treatment for posttraumatic stress disorder related to childhood abuse. *Journal of Behavior Therapy and Experimental Psychiatry*, 48, 170–176. doi:10.1016/j.jbtep.2015.03.013
- Reisberg, D., Pearson, D. G., & Kosslyn, S. M. (2003). Intuitions and introspections about imagery: The role of imagery experience in shaping an investigator's theoretical views. *Applied Cognitive Psychology*, 17, 147–160. doi:10.1002/acp.858
- Richards, D. (2011). Prevalence and clinical course of depression: A review. *Clinical Psychology Review*, 31, 1117–1125. doi:10.1016/j.cpr.2011.07.004
- Riihimäki, K., Vuorilehto, M., & Isometsä, E. (2015). A 5-year prospective study of predictors for functional and work disability among primary care patients with depressive disorders. *European Psychiatry*, 30, 51–57. doi:10.1016/j.eurpsy.2014.02.005
- Romera, I., Pérez, V., Caballero, L., Roca, M., Polavieja, P., & Gilaberte, I. (2013). Residual symptoms and functioning in depression, does the type of residual symptom matter? A post-hoc analysis. *BMC Psychiatry*, 13, 1–7. doi:10.1186/1471-244X-13-51



- Rottenberg, J. (2017). Emotions in depression: What do we really know? *Annual Review of Clinical Psychology*, 13, 241–263. doi:10.1146/annurev-clinpsy-032816-045252
- Rubin, D. C., Berntsen, D., & Bohni, M. K. (2008). A memory-based model of posttraumatic stress disorder: Evaluating basic assumptions underlying the PTSD diagnosis. *Psychological Review*, 115, 985–1011. doi:10.1037/a0013397
- Rucci, P., Frank, E., Calugi, S., Miniati, M., Benvenuti, A., Wallace, M., . . . Cassano, G. B. (2011). Incidence and predictors of relapse during continuation treatment of major depression with SSRI, interpersonal psychotherapy, or their combination. *Depression and Anxiety*, 28, 955–962. doi:10.1002/da.20894
- Rush, A. J., Gullion, C. M., Basco, M. R., Jarrett, R. B., & Trivedi, M. H. (1996). The inventory of depressive symptomatology (IDS): Psychometric properties. *Psychological Medicine*, 26, 477–486. doi:10.1017/S0033291700035558
- Russell, J. A. (2003). Core affect and the psychological construction of emotion. *Psychological Review*, 110, 145–172. doi:10.1037/0033-295X.110.1.145
- Russell, J. A., & Barrett, L. F. (1999). Core affect, prototypical emotional episodes, and other things called emotion: Dissecting the elephant. *Journal of Personality and Social Psychology*, 76, 805–819. doi:10.1037/0022-3514.76.5.805
- Russell, J. A. (2009). Emotion, core affect, and psychological construction. *Cognition and Emotion*, 23, 1259–1283. doi:10.1080/02699930902809375
- Schacter, D. L., Welker, M., Conway, M. A., Loveday, C., & Cole, S. N. (2016). The remembering–imagining system. *Memory Studies*, 9, 256–265. doi:10.1177/1750698016645231
- Schacter, D. L., Welker, M., & MacLeod, A. K. (2016). Prospection, well-being and memory. *Memory Studies*, 9, 266–274. doi:10.1177/1750698016645233
- Scheffer, M., Carpenter, S. R., Lenton, T. M., Bascompte, J., Brock, W., Dakos, V., . . . Vandermeer, J. (2012). Anticipating critical transitions. *Science*, 338, 344–348. doi:10.1126/science.1225244

- Schoofs, H., Hermans, D., & Raes, F. (2010). Brooding and reflection as subtypes of rumination: Evidence from confirmatory factor analysis in nonclinical samples using the Dutch ruminative response scale. *Journal of Psychopathology and Behavioral Assessment*, 32, 609–617. doi:10.1007/s10862-010-9182-9
- Seebauer, L., Froß, S., Dubaschny, L., Schönberger, M., & Jacob, G. A. (2014). Is it dangerous to fantasize revenge in imagery exercises? An experimental study. *Journal of Behavior Therapy and Experimental Psychiatry*, 45, 20–25. doi:10.1016/j.jbtep.2013.07.003
- Segal, Z. V., Williams, J. M. G., & Teasdale, J. D. (2002). *Mindfulness-based cognitive therapy for depression: A new approach to preventing relapse*. New York, NY: The Guilford Press.
- Segal, Z. V., Kennedy, S., Gemar, M., Hood, K., Pedersen, R., & Buis, T. (2006). Cognitive reactivity to sad mood provocation and the prediction of depressive relapse. *Archives of General Psychiatry*, 63, 749–755. doi:10.1001/archpsyc.63.7.749
- Segal, Z. V., Teasdale, J. D., & Williams, J. M. G. (2004). Mindfulness-based cognitive therapy: Theoretical rationale and empirical status. In S. C. Hayes, V. M. Follette & M. M. Linehan (Eds.), *Mindfulness and acceptance: Expanding the cognitive-behavioral tradition* (pp. 45–65). New York, NY: Guilford Press.
- Shadish, W. R., Zuur, A. F., & Sullivan, K. J. (2014). Using generalized additive (mixed) models to analyze single case designs. *Journal of School Psychology*, 52, 149–178. doi:10.1016/j.jsp.2013.11.004
- Shapiro, F. (2001). *Eye movement desensitization and reprocessing: Basic principles, protocols, and procedures* (2nd ed.). New York, NY: Guilford Press.
- Sheppes, G., Scheibe, S., Suri, G., Radu, P., Blechert, J., & Gross, J. J. (2014). Emotion regulation choice: A conceptual framework and supporting evidence. *Journal of Experimental Psychology: General*, 143, 163–181. doi:10.1037/a0030831
- Shiffman, S., Stone, A. A., & Hufford, M. R. (2008). Ecological momentary assessment. *Annual Review of Clinical Psychology*, 4, 1–32. doi:10.1146/annurev.clinpsy.3.022806.091415
- Simon, G. E., & Perlis, R. H. (2010). Personalized medicine for depression: Can we match patients with treatments? *American Journal of Psychiatry*, 167, 1445–1455. doi:10.1176/appi.ajp.2010.09111680

- Simons, C. J. P., Hartmann, J. A., Kramer, I., Menne-Lothmann, C., Höhn, P., Van Bommel, A. L., . . . Wichers, M. (2015). Effects of momentary self-monitoring on empowerment in a randomized controlled trial in patients with depression. *European Psychiatry*, 30, 900–906. doi:10.1016/j.eurpsy.2015.09.004
- Simonsohn, U. (2015). Small telescopes: Detectability and the evaluation of replication results. *Psychological Science*, 26, 559–569. doi:10.1177/0956797614567341
- Slofstra, C., Nauta, M. H., Holmes, E. A., & Bockting, C. L. H. (2016). Imagery rescripting: The impact of conceptual and perceptual changes on aversive autobiographical memories. *PLoS ONE*, 11, 1–16. doi:10.1371/journal.pone.0160235
- Smagula, S. F., Butters, M. A., Anderson, S. J., Lenze, E. J., Dew, M. A., Mulsant, B. H., . . . Reynolds, C. F. (2015). Antidepressant response trajectories and associated clinical prognostic factors among older adults. *JAMA Psychiatry*, 72, 1021–1028. doi:10.1001/jamapsychiatry.2015.1324
- Smeets, M. A. M., Dijs, M. W., Pervan, I., Engelhard, I. M., & van den Hout, M. A. (2012). Time-course of eye movement-related decrease in vividness and emotionality of unpleasant autobiographical memories. *Memory*, 20, 346–357. doi:10.1080/09658211.2012.665462
- Smith, N. B., Doran, J. M., Sippel, L. M., & Harpaz-Rotem, I. (2017). Fear extinction and memory reconsolidation as critical components in behavioral treatment for posttraumatic stress disorder and potential augmentation of these processes. *Neuroscience Letters*, 649, 170–175. doi:10.1016/j.neulet.2017.01.006
- Snippe, E., Dziak, J. J., Lanza, S. T., Nyklíček, I., & Wichers, M. (2017). The shape of change in perceived stress, negative affect, and stress sensitivity during mindfulness-based stress reduction. *Mindfulness*, 8, 728–736. doi:10.1007/s12671-016-0650-5
- Solomon, D. A., Keller, M. B., Leon, A. C., Mueller, T. I., Lavori, P. W., Shea, M. T., . . . Maser, J. D. (2000). Multiple recurrences of major depressive disorder. *American Journal of Psychiatry*, 157, 229–233. doi:10.1176/appi.ajp.157.2.229

- Spenceley, A., & Jerrom, B. (1997). Intrusive traumatic childhood memories in depression: A comparison between depressed, recovered and never depressed women. *Behavioural and Cognitive Psychotherapy*, 25, 309–318. doi:10.1017/S1352465800018713
- Spinhoven, P., Drost, J., de Rooij, M., van Hemert, A. M., & Penninx, B. W. J. H. (2016). Is experiential avoidance a mediating, moderating, independent, overlapping, or proxy risk factor in the onset, relapse and maintenance of depressive disorders? *Cognitive Therapy and Research*, 40, 150–163. doi:10.1007/s10608-015-9747-8
- Steel, C., Wykes, T., Ruddle, A., Smith, G., Shah, D. M., & Holmes, E. A. (2010). Can we harness computerised cognitive bias modification to treat anxiety in schizophrenia? A first step highlighting the role of mental imagery. *Psychiatry Research*, 178, 451–455. doi:10.1016/j.psychres.2010.04.042
- Stöber, J. (1998). Worry, problem elaboration and suppression of imagery: The role of concreteness. *Behaviour Research and Therapy*, 36, 751–756. doi:10.1016/S0005-7967(98)00027-8
- Stopa, L. (2011). Imagery rescripting across disorders: A practical guide. *Cognitive and Behavioral Practice*, 18, 421–423. doi:10.1016/j.cbpra.2011.05.001
- Sumner, J. A. (2012). The mechanisms underlying overgeneral autobiographical memory: An evaluative review of evidence for the CaR-FA-X model. *Clinical Psychology Review*, 32, 34–48. doi:10.1016/j.cpr.2011.10.003
- Tadmor, A., McNally, R. J., & Engelhard, I. M. (2016). Reducing the negative valence of stressful memories through emotionally valenced, modality-specific tasks. *Journal of Behavior Therapy and Experimental Psychiatry*, 53, 92–98. doi:10.1016/j.jbtep.2014.11.001
- Teasdale, J. D., Segal, Z. V., Williams, J. M. G., Ridgeway, V. A., Soulsby, J. M., & Lau, M. A. (2000). Prevention of relapse/recurrence in major depression by mindfulness-based cognitive therapy. *Journal of Consulting and Clinical Psychology*, 68, 615–623. doi:10.1037/0022-006X.68.4.615
- Ten Doesschate, M. C., Bockting, C. L. H., & Schene, A. H. (2009). Adherence to continuation and maintenance antidepressant use in recurrent depression. *Journal of Affective Disorders*, 115, 167–170. doi:10.1016/j.jad.2008.07.011

- Thompson, R. J., Mata, J., Jaeggi, S. M., Buschkuhl, M., Jonides, J., & Gotlib, I. H. (2012). The everyday emotional experience of adults with major depressive disorder: Examining emotional instability, inertia, and reactivity. *Journal of Abnormal Psychology, 121*, 819–829. doi:10.1037/a0027978
- Tolin, D. F., McKay, D., Forman, E. M., Klonsky, E. D., & Thombs, B. D. (2015). Empirically supported treatment: Recommendations for a new model. *Clinical Psychology: Science and Practice, 22*, 317–338. doi:10.1111/cpsp.12122
- Treynor, W., Gonzalez, R., & Nolen-Hoeksema, S. (2003). Rumination reconsidered: A psychometric analysis. *Cognitive Therapy and Research, 27*, 247–259. doi:10.1023/A:1023910315561
- Trivedi, M. H., Rush, A. J., Ibrahim, H. M., Carmody, T. J., Biggs, M. M., Suppes, T., . . . Kashner, T. M. (2004). The inventory of depressive symptomatology, clinician rating (IDS-C) and self-report (IDS-SR), and the quick inventory of depressive symptomatology, clinician rating (QIDS-C) and self-report (QIDS-SR) in public sector patients with mood disorders: A psychometric evaluation. *Psychological Medicine, 34*, 73–82. doi:10.1017/S0033291703001107
- Trull, T. J., Lane, S. P., Koval, P., & Ebner-Priemer, U. W. (2015). Affective dynamics in psychopathology. *Emotion Review, 7*, 355–361. doi:10.1177/1754073915590617
- Tsai, C., & McNally, R. J. (2014). Effects of emotionally valenced working memory taxation on negative memories. *Journal of Behavior Therapy and Experimental Psychiatry, 45*, 15–19. doi:10.1016/j.jbtep.2013.07.004
- Uher, R. (2008). The implications of gene–environment interactions in depression: Will cause inform cure? *Molecular Psychiatry, 13*, 1070–1078. doi:10.1038/mp.2008.92
- Uher, R., Mors, O., Rietschel, M., Rajewska-Rager, A., Petrovic, A., Zobel, A., . . . McGuffin, P. (2011). Early and delayed onset of response to antidepressants in individual trajectories of change during treatment of major depression: A secondary analysis of data from the genome-based therapeutic drugs for depression (GENDEP) study. *The Journal of Clinical Psychiatry, 72*, 1478–1484. doi:10.4088/JCP.10m06419

- Van de Leemput, I. A., Wichers, M., Cramer, A. O., Borsboom, D., Tuerlinckx, F., Kuppens, P., . . . Scheffer, M. (2014). Critical slowing down as early warning for the onset and termination of depression. *Proceedings of the National Academy of Sciences of the United States of America*, *111*, 87–92. doi:10.1073/pnas.1312114110
- Van den Hout, M. A., & Engelhard, I. M. (2012). How does EMDR work? *Journal of Experimental Psychopathology*, *3*, 724–738. doi:10.5127/jep.028212
- Van den Hout, M. A., Engelhard, I. M., Beetsma, D., Slofstra, C., Hornsveld, H., Houtveen, J., & Leer, A. (2011). EMDR and mindfulness. eye movements and attentional breathing tax working memory and reduce vividness and emotionality of aversive ideation. *Journal of Behavior Therapy and Experimental Psychiatry*, *42*, 423–431. doi:10.1016/j.jbtep.2011.03.004
- Van den Hout, M. A., Engelhard, I. M., Rijkeboer, M. M., Koekebakker, J., Hornsveld, H., Leer, A., . . . Akse, N. (2011). EMDR: Eye movements superior to beeps in taxing working memory and reducing vividness of recollections. *Behaviour Research and Therapy*, *49*, 92–98. doi:10.1016/j.brat.2010.11.003
- Van den Hout, M. A., Muris, P., Salemink, E., & Kindt, M. (2001). Autobiographical memories become less vivid and emotional after eye movements. *British Journal of Clinical Psychology*, *40*, 121–130. doi:10.1348/014466501163571
- Van der Velden, A. M., Kuyken, W., Wattar, U., Crane, C., Pallesen, K. J., Dahlgaard, J., . . . Piet, J. (2015). A systematic review of mechanisms of change in mindfulness-based cognitive therapy in the treatment of recurrent major depressive disorder. *Clinical Psychology Review*, *37*, 26–39. doi:10.1016/j.cpr.2015.02.001
- Van Os, J., Verhagen, S., Marsman, A., Peeters, F., Bak, M., Marcelis, M., . . . Delespaul, P. (2017). The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. *Depression and Anxiety*, *34*, 1–13. doi:10.1002/da.22647
- Van Rijsbergen, G. D., Bockting, C. L. H., Berking, M., Koeter, M. W. J., & Schene, A. H. (2012). Can a one-item mood scale do the trick? Predicting relapse over 5.5-years in recurrent depression. *PloS One*, *7*, 1–5. doi:10.1371/journal.pone.0046796

- Van Rijsbergen, G. D., Bockting, C. L. H., Burger, H., Spinhoven, P., Koeter, M. W. J., Ruhé, H. G., . . . Schene, A. H. (2013). Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: A randomized study with 5.5-year follow-up. *Journal of Consulting and Clinical Psychology, 81*, 508–517. doi:10.1037/a0032223
- Van Rijsbergen, G. D., Hollon, S. D., Elgersma, H. J., Kok, G. D., Dekker, J., Schene, A. H., & Bockting, C. L. H. (2015). Understanding emotion and emotional scarring in recurrent depression. *Comprehensive Psychiatry, 59*, 54–61. doi:10.1016/j.comppsy.2015.02.010
- Van Schaik, D. J., Klijn, A. F., van Hout, H. P., van Marwijk, H. W., Beekman, A. T., de Haan, M., & van Dyck, R. (2004). Patients' preferences in the treatment of depressive disorder in primary care. *General Hospital Psychiatry, 26*, 184–189. doi:10.1016/j.genhosppsy.2003.12.001
- Van Winkel, M., Nicolson, N., Wichers, M., Viechtbauer, W., Myin-Germeys, I., & Peeters, F. (2015). Daily life stress reactivity in remitted versus non-remitted depressed individuals. *European Psychiatry, 30*, 441–447. doi:10.1016/j.eurpsy.2015.02.011
- Verhagen, J., & Wagenmakers, E. (2014). Bayesian tests to quantify the result of a replication attempt. *Journal of Experimental Psychology: General, 143*, 1457–1475. doi:10.1037/a0036731
- Verhagen, S., Hasmi, L., Drukker, M., van Os, J., & Delespaul, P. (2016). Use of the experience sampling method in the context of clinical trials. *Evidence-Based Mental Health, 19*, 86–89. doi:10.1136/ebmental-2016-102418
- Vervliet, B., & Raes, F. (2013). Criteria of validity in experimental psychopathology: Application to models of anxiety and depression. *Psychological Medicine, 43*, 2241–2244. doi:10.1017/S0033291712002267
- Vittengl, J. R., Clark, L. A., Dunn, T. W., & Jarrett, R. B. (2007). Reducing relapse and recurrence in unipolar depression: A comparative meta-analysis of cognitive-behavioral therapy's effects. *Journal of Consulting and Clinical Psychology, 75*, 475–488. doi:10.1037/0022-006X.75.3.475
- Walz, L. C., Nauta, M. H., & aan het Rot, M. (2014). Experience sampling and ecological momentary assessment for studying the daily lives of patients with anxiety disorders: A systematic review. *Journal of Anxiety Disorders, 28*, 925–937. doi:10.1016/j.janxdis.2014.09.022
- Watkins, E. R. (2008). Constructive and unconstructive repetitive thought. *Psychological Bulletin, 134*, 163–206. doi:10.1037/0033-2909.134.2.163



- Watkins, E. R. (2015). An alternative transdiagnostic mechanistic approach to affective disorders illustrated with research from clinical psychology. *Emotion Review*, 7, 250–255. doi:10.1177/1754073915575400
- Watkins, E. R., Moberly, N. J., & Moulds, M. L. (2008). Processing mode causally influences emotional reactivity: Distinct effects of abstract versus concrete construal on emotional response. *Emotion*, 8, 364–378. doi:10.1037/1528-3542.8.3.364
- Watkins, E. R., & Moulds, M. L. (2007). Reduced concreteness of rumination in depression: A pilot study. *Personality and Individual Differences*, 43, 1386–1395. doi:10.1016/j.paid.2007.04.007
- Werner-Seidler, A., & Moulds, M. L. (2011). Autobiographical memory characteristics in depression vulnerability: Formerly depressed individuals recall less vivid positive memories. *Cognition & Emotion*, 25, 1087–1103. doi:10.1080/02699931.2010.531007
- Werner-Seidler, A., & Moulds, M. L. (2012). Mood repair and processing mode in depression. *Emotion*, 12, 470–478. doi:10.1037/a0025984
- Werner-Seidler, A., & Moulds, M. L. (2014). Recalling positive self-defining memories in depression: The impact of processing mode. *Memory*, 22, 525–535. doi:10.1080/09658211.2013.801494
- Weßlau, C., Cloos, M., Höfling, V., & Steil, R. (2015). Visual mental imagery and symptoms of depression – results from a large-scale web-based study. *BMC Psychiatry*, 15, 1–13. doi:10.1186/s12888-015-0689-1
- Weßlau, C., Lieberz, K., Oertel-Knöchel, V., & Steil, R. (2016). Distressing visual mental images in depressed patients and healthy controls – are they one and the same? *Psychiatry Research*, 246, 341–347. doi:10.1016/j.psychres.2016.09.034
- Weßlau, C., & Steil, R. (2014). Visual mental imagery in psychopathology – implications for the maintenance and treatment of depression. *Clinical Psychology Review*, 34, 273–281. doi:10.1016/j.cpr.2014.03.001
- Wheatley, J., Brewin, C. R., Patel, T., Hackmann, A., Wells, A., Fisher, P., & Myers, S. (2007). “I’ll believe it when I can see it”: Imagery rescripting of intrusive sensory memories in depression. *Journal of Behavior Therapy and Experimental Psychiatry*, 38, 371–385. doi:10.1016/j.jbtep.2007.08.005
- Wheatley, J., & Hackmann, A. (2011). Using imagery rescripting to treat major depression: Theory and practice. *Cognitive and Behavioral Practice*, 18, 444–453. doi:10.1016/j.cbpra.2010.06.004

- White, R., & Wild, J. (2016). "Why" or "How": The effect of concrete versus abstract processing on intrusive memories following analogue trauma. *Behavior Therapy*, 47, 404–415. doi:10.1016/j.beth.2016.02.004
- Whiteford, H. A., Degenhardt, L., Rehm, J., Baxter, A. J., Ferrari, A. J., Erskine, H. E., . . . Johns, N. (2013). Global burden of disease attributable to mental and substance use disorders: Findings from the global burden of disease study 2010. *The Lancet*, 382, 1575–1586. doi:10.1016/S0140-6736(13)61611-6
- Wichers, M., Wigman, J. T. W., Bringmann, L. F., & de Jonge, P. (2017). Mental disorders as networks: Some cautionary reflections on a promising approach. *Social Psychiatry and Psychiatric Epidemiology*, 52, 143–145. doi:10.1007/s00127-016-1335-z
- Wichers, M., Peeters, F., Geschwind, N., Jacobs, N., Simons, C. J. P., Derom, C., . . . Van Os, J. (2010). Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: A momentary assessment study. *Journal of Affective Disorders*, 124, 191–195. doi:10.1016/j.jad.2009.11.010
- Wichers, M., Kasanova, Z., Bakker, J. M., Thiery, E., Derom, C., Jacobs, N., & van Os, J. (2015). From affective experience to motivated action: Tracking reward-seeking and punishment-avoidant behaviour in real-life. *PloS ONE*, 10, 1–16. doi:10.1371/journal.pone.0129722
- Wichers, M., Geschwind, N., Jacobs, N., Kenis, G., Peeters, F., Derom, C., . . . van Os, J. (2009). Transition from stress sensitivity to a depressive state: Longitudinal twin study. *The British Journal of Psychiatry*, 195, 498–503. doi:10.1192/bjp.bp.108.056853
- Wichers, M., Groot, P. C., & Psychosystems, ESM Group, EWS Group. (2016). Critical slowing down as a personalized early warning signal for depression. *Psychotherapy and Psychosomatics*, 85, 114–116. doi:10.1159/000441458
- Wichers, M., Wigman, J. T. W., & Myin-Germeys, I. (2015). Micro-level affect dynamics in psychopathology viewed from complex dynamical system theory. *Emotion Review*, 7, 362–367. doi:10.1177/1754073915590623
- Williams, J. M. G., Barnhofer, T., Crane, C., Herman, D., Raes, F., Watkins, E. R., & Dalgleish, T. (2007). Autobiographical memory specificity and emotional disorder. *Psychological Bulletin*, 133, 122–148. doi:10.1037/0033-2909.133.1.122

- Zimmerman, M., Ellison, W., Young, D., Chelminski, I., & Dalrymple, K. (2015). How many different ways do patients meet the diagnostic criteria for major depressive disorder? *Comprehensive Psychiatry*, 56, 29–34. doi:10.1016/j.comppsy.2014.09.007

